

Schriftenverzeichnis: Ralph Jaquet

Literatur

- [1] Ab initio study, including electron correlation, of the electronic structures, the dipole moments, the static polarizabilities and of the harmonic force fields of H₂CO, H₂CS and H₂SiO, R. Jaquet, W. Kutzelnigg and V. Staemmler, *Theoret. Chim. Acta* 54 (1980) 205
- [2] Quantenchemische Berechnung der Struktur kleiner Radikale, V. Staemmler und R. Jaquet, *Fresenius Z. Anal. Chem.* 304 (1980) 279
- [3] CEPA calculations for rotation barriers about CC double bonds: ethylene, allene and methylene-cyclopropane, V. Staemmler and R. Jaquet, in: J. Hinze (ed.) *Molecular structur and energy scrambling*, Plenum Press, New York 1981
- [4] CEPA calculations on open shell molecules. I. Outline of the method, V. Staemmler and R. Jaquet, *Theoret. Chim. Acta* 59 (1981) 487
- [5] CEPA calculations on open shell molecules. II. Singlet-triplet energy splitting in π^2 configurations of diatomic molecules, V. Staemmler and R. Jaquet, *Theoret. Chim. Acta* 59 (1981) 501
- [6] CEPA calculations on open shell molecules. III. Potential curves for the six lowest excited states of He₂ in the vicinity of their equilibrium distances, J. Wasilewski, V. Staemmler and R. Jaquet, *Theoret. Chim. Acta* 59 (1981) 517
- [7] CEPA calculations on open shell molecules. IV. Electron correlation effects in B₁ Rydberg states of H₂O, V. Staemmler, R. Jaquet and M. Jungen, *J. Chem. Phys.* 74 (1981) 1285
- [8] CEPA calculations of potential energy surfaces for open shell systems. I. The reaction of O(³P) with H₂(¹ Σ_g^+), R. Jaquet and V. Staemmler, *Chem. Phys.* 59 (1981) 373
- [9] CEPA calculations of potential energy surfaces of open-shell systems. II. The reaction of C⁺ ions with molecular hydrogen, R. Jaquet and V. Staemmler, *Chem. Phys.* 68 (1982) 479

- [10] CEPA calculations of potential energy surfaces for open-shell systems. III. Van der Waals interaction between O(3P) and He(1S), V. Staemmler and R. Jaquet, Chem. Phys. 92 (1985) 141
- [11] Quantum mechanical rate constants via path integrals. I. Diffusion of hydrogen atoms on a W(100) surface, R. Jaquet and W. H. Miller, J. Phys. Chem. 89 (1985) 2139
- [12] CEPA calculations of potential energy surfaces of open-shell systems. IV. The van der Waals reaction O₂($^3\Sigma_g^-$) + He, R. Jaquet and V. Staemmler, Chem. Phys. 101 (1986) 243
- [13] Quantum dynamics of inelastic and reactive processes of molecules and atoms, R. Jaquet, in: Overview of Cyber 205 projects in Bochum, Ed. : H. Ehlich, Bochum (1986)
- [14] Investigations with the finite element method: I. The collinear X + YZ (X, Y, Z=H, D, Mu) reaction, R. Jaquet, Theoret. Chim. Acta, 71 (1987) 425
- [15] Investigations with the finite element method: The collinear H+H₂ and F+H₂ reaction, R. Jaquet, in: Proceedings of the 1986 Conferences on Supercomputers and Applications, Ed. : H. Ehlich, K. H. Schloßer, B. Wojcieszynski, Bochum (1987)
- [16] Investigations with the finite element method: II. The collinear F+H₂ reaction, R. Jaquet Chem. Phys., 118 (1987) 17
- [17] Untersuchungen zur Dynamik chemischer Elementarprozesse, R. Jaquet, Habilitationsschrift (1987), Universität-GH-Siegen Verlag Shaker, Aachen 1992
- [18] Investigations with the finite element method: III. The collinear H+H₂, F+H₂ and Ne+H₂⁺ reaction, R. Jaquet, NATO-Workshop on 'Supercomputer algorithms for reactivity, dynamics and kinetics of small molecules', Ed. : A. Lagana, Perugia, Italy (1988), Reidel
- [19] Theoretical study of the reaction Ne + H₂⁺ → NeH⁺ + H in the $^2A'$ ground state, J. Urban, R. Jaquet, V. Staemmler, Int. J. Quant. Chem., 38 (1990) 339
- [20] Application of the finite element method to eigenvalue problems. I. One dimensional elements using optimized elements, R. Jaquet, Comp. Phys. Communication, 58 (1990) 257

- [21] Excitation of fine structure transitions of C in collisions with ortho- and para-H₂, K. Schröder, V. Staemmler, R. Jaquet, M. D. Smith and D. Flower, J. Phys. B: At. Mol. Opt. Phys., 24 (1991) 2487
- [22] The reaction Ne + H₂⁺(v = 0, 1, 2, 3, 4) → NeH⁺ + H: 3D potential energy surface and quasiclassical trajectory calculations, J. Urban, V. Klimo, R. Jaquet, V. Staemmler, Z. f. Phys. D, 21 (1991) 329
- [23] Excitation of fine structure transitions of O(³P_J) in collisions with ortho- and para-H₂, R. Jaquet, V. Staemmler, M. D. Smith and D. R. Flower, J. Phys. B: At. Mol. Opt. Phys., 25 (1992) 285
- [24] The S-matrix version of the Hulthén-Kohn variational principle for quantum scattering: Comparison between conventional and finite element basis sets, R. Jaquet and U. Schnupf, Chem. Phys., 165 (1992) 287
- [25] Fit of the potential energy surface for the reaction Ne + H₂⁺ → NeH⁺ + H using three different functional forms, P. Pendergast, J. M. Heck, E. F. Hayes and R. Jaquet, J. Chem. Phys., 98 (1993) 4543
- [26] Resonances in inelastic collisions: Decay widths and evolution of nodal patterns for resonance states, B. Mirbach, H. J. Korsch and R. Jaquet, Z. f. Phys. D, 29 (1994) 183
- [27] Ab initio investigations of the bound rovibrational levels of NeH₂⁺, NeHD⁺, and NeD₂⁺, R. Jaquet, Theoret. Chim. Acta, 88 (1994) 217
- [28] Potential energy surface of the H₃⁺ ground state in the neighbourhood of the minimum with microhartree accuracy, R. Röhse, W. Kutzelnigg, R. Jaquet and W. Klopper, J. Chem. Phys., 101 (1994) 2231
- [29] The S-matrix version of the Hulthén-Kohn variational principle for quantum scattering: Finite element calculations for state to state reaction probabilities, R. Jaquet and J. Gribkova, Theoret. Chim. Acta, 89 (1994) 363
- [30] Rovibrational energy levels and transitions for H₃⁺ computed from a new highly accurate potential energy surface, R. Jaquet and R. Röhse, Mol. Physics, 84 (1995) 291

- [31] The S-matrix version of the Hulthén-Kohn variational principle for quantum reactive scattering using finite elements: Concepts, discretizations and internal basis sets, R. Jaquet, A. Kumpf and M. Heinen, *J. Chem. Soc. Faraday Trans.*, 93 (1997) 1027
- [32] Sub-microhartree accuracy potential surface for H_3^+ including adiabatic and relativistic effects I. Calculation of the potential points, W. Cencek, J. Rychlewski, R. Jaquet and W. Kutzelnigg, *J. Chem. Phys.*, 108 (1998) 2831
- [33] Sub-microhartree accuracy potential surface for H_3^+ including adiabatic and relativistic effects. II. Rovibrational analysis for H_3^+ and D_3^+ , R. Jaquet, W. Cencek, J. Rychlewski and W. Kutzelnigg *J. Chem. Phys.*, 108 (1998) 2837
- [34] A model for the function of the bisphosphorylated heart specific troponin I N-terminus, K. Jaquet, K. Lohmann, T. Holak, J. Gulati and R. Jaquet, *J. Muscle Res. Cell Motil.* 19 (1998) 647
- [35] Interpolation und Fitten von Potentialflächen, R. Jaquet, Manuskript für den Workshop in Mariapfarr, Österreich 1996
- [36] Interpolation, fitting of potential energy surfaces: Concepts, recipes and applications, R. Jaquet, in "Potential energy surfaces", Ed. A. Sax, Lecture Notes in Chemistry, 71 (1998) 97
- [37] Toward spectroscopic accuracy of ab initio calculations of vibrational frequencies and related quantities: a case study of the HF molecule, H. Müller, R. Franke, S. Vogtner, R. Jaquet and W. Kutzelnigg, *Theo. Chem. Acc.*, 100 (1998) 85
- [38] The influence of non-adiabaticity on the nuclear motion in the H_3^+ -molecule, R. Jaquet, *Chem. Phys. Lett.*, 302 (1999) 27
- [39] Quantum reactive scattering: The time-independent method, R. Jaquet, Manuskript für den Workshop in Mariapfarr, Österreich 1999
- [40] Quantum reactive scattering: The time-independent method I. Principles of time-independent approaches to quantum reactive scattering, R. Jaquet, in "Quantum reactive scattering", Ed. W. Jakubetz, Lecture Notes in Chemistry, 77 (2001) 17
- [41] Quantum reactive scattering: The time-independent method II. Current methods and developments, R. Jaquet, in "Quantum reactive scattering", Ed. W. Jakubetz, Lecture Notes in Chemistry, 77 (2001) 83

- [42] Time-dependent reactive scattering for ion-neutral collisions, C. Morari, R. Röhse und R. Jaquet, in: High Performance Computing in Science and Engineering 2000, E. Krause, W. Jäger (Eds.), Springer, p. 207
- [43] Time-dependent reactive scattering of the $\text{H}^- + \text{H}_2 \leftrightarrow \text{H}_2 + \text{H}^-$ reaction, R. Jaquet und M. Heinen, *J. Phys. Chem.*, 105 (2001) 2738
- [44] First-principles calculations of the rovibrational spectrum of the H_3^+ -molecule, R. Jaquet, *Spectrochimica Acta A*, 58 (2002) 691
- [45] Quantum nuclear dynamics of the H_3^+ -system and its isotopomers, R. Jaquet, in: Explicitly correlated wavefunctions in Physics and Chemistry: Theory and applications. J. Rychlewski (Ed.), Kluwer (2003), p. 503-554
- [46] Dependence of film tension on the thickness of smectic films, R. Jaquet und F. Schneider, *Phys. Rev. E*, 67 (2003) 021707
- [47] Quantum Reactive Scattering for Ion-neutral Collisions: The H_3^- -system, C. Morari und R. Jaquet, in: High Performance Computing in Science and Engineering 2004, E. Krause, W. Jäger, M. Resch (Eds.), Springer, p. 333
- [48] Time-Dependent Reactive Scattering for the System $\text{H}^- + \text{D}_2 \leftrightarrow \text{HD} + \text{D}^-$ and Comparison with $\text{H}^- + \text{H}_2 \leftrightarrow \text{H}_2 + \text{H}^-$, C. Morari und R. Jaquet, *J. Phys. Chem. A*, 109 (2005) 3396
- [49] Dispersion of the ordinary refractive indices of smectic liquid crystals in free standing films, R. Jaquet und F. Schneider, *Phys. Rev. E*, 74 (2006) 011708
- [50] Explicitly correlated potential energy surface of H_3^+ , including relativistic and adiabatic corrections, W. Kutzelnigg und R. Jaquet, *Phil. Trans. R. Soc. Lond. A***364**, (2006) 2855
- [51] Elucidation of nonstatistical dynamic effects in the cyclization of enyne allene by means of kinetic isotope effects, M. Schmittel, C. Vavila und R. Jaquet, *Angew. Chem. Int. Ed. Engl.* **46**, (2007) xxxx
- [52] Vibrational analysis of the $\text{H}_4\text{I}_2\text{O}_{10}^{2-}$ ion in $\text{CuH}_4\text{I}_2\text{O}_{10} \cdot 6\text{H}_2\text{O}_{10}$, R. Jaquet, H. Haeuseler, J. Raman, Spectr. eingereicht (2007)